

## **Aktuelle wissenschaftliche Literatur zur Anthroposophischen Medizin, oder aus entsprechenden Arbeitsgruppen**

Die Liste erhebt keinen Anspruch auf Vollständigkeit; noch fehlende Literatur bitten wir elektronisch zu nennen an [anthromedlit@ifaemm.de](mailto:anthromedlit@ifaemm.de).

### **Current scientific literature on Anthroposophic Medicine, or from respective working groups**

The list is not complete and the reader is kindly requested to notify possibly missing publications to [anthromedlit@ifaemm.de](mailto:anthromedlit@ifaemm.de)

#### **2009**

1. Demangeat J-L. NMR water proton relaxation in unheated and heated ultrahigh aqueous dilutions of histamine: Evidence for an air-dependent supramolecular organization of water. *Journal of Molecular Liquids* 2009;144:32-39.
2. Heusser P, Kienle GS. Anthroposophic Medicine, Integrative Oncology, and Mistletoe Therapy of Cancer. In: Abrams D, Weil A, Hrsg. *Integrative Oncology*. New York: Oxford University Press; 2009; 16, S. 322-40.
3. Heusser P, Berger S, Stutz M, Husler A, Haeberli A, Wolf U. Efficacy of homeopathically potentized antimony on blood coagulation. A randomized placebo controlled crossover trial. *Forsch Komplementmed* 2009;16(1):14-18.
4. Kienle GS, Kiene H. Systematische Reviews zur Misteltherapie bei Krebs und die Implikationen für künftige Forschung. In: Scheer R, Alban S, Becker H, et al, Hrsg. *Die Mistel in der Tumorthерапie 2. - Aktueller Stand der Forschung und klinische Anwendung*. Essen: KVC Verlag; 2009; S. 285-93.
5. Manchester A. Nursing the anthroposophical way. *Nurs N Z* 2009;15(1):24.
6. Rosenlund H, Bergstrom A, Alm JS, Swartz J, Scheynius A, van HM, Johansen K, Brunekreef B, von ME, Ege MJ, et al. Allergic disease and atopic sensitization in children in relation to measles vaccination and measles infection. *Pediatrics* 2009;123(3):771-778.
7. Wode K, Schneider T, Lundberg I, Kienle GS. Mistletoe treatment in cancer-related fatigue: a case report. *Cases Journal* 2009;2:77.
8. Ziegler R. Mistletoe Preparation Iscador: Are there Methodological Concerns with Respect to Controlled Clinical Trials? *Evid Based Complement Alternat Med* 2009;6(1):19-30.

#### **2008**

1. Arman M, Ranheim A, Rehnsfeldt A, Wode K. Anthroposophic health care – different and home-like. *Scand J Caring Sci* 2008;22 :357-366.
2. Baars EW, Gans S, Ellis EL. The effect of hepar magnesium on seasonal fatigue symptoms: a pilot study. *J Altern Complement Med* 2008;14(4):395-402.

3. Baumgartner S, Shah D, Schaller J, Kämpfer U, Thurneysen A, Heusser P. Reproducibility of dwarf pea shoot growth stimulation by homeopathic potencies of gibberellic acid. *Complement Ther Med* 2008;16:183-191.
4. Ben-Arye E, Schiff E, Golan O. Ethical issues in integrative oncology. *Hematol Oncol Clin North Am* 2008;22(4):737-53, x.
5. Betti L, trebbi G, Nani D, majewsky V, Scherr C, jäger T, Baumgartner S. Homeopathy and Plants: The State of the Art. *Il medico Omeopata* 2008;13:28-33.
6. Beuth J, Schneider B, Schierholz JM. Impact of complementary treatment of breast cancer patients with standardized mistletoe extract during aftercare: a controlled multicenter comparative epidemiological cohort study. *Anticancer Res* 2008;28(1B):523-527.
7. Bornhöft G, Wolf U, von Ammon K, Righetti M, Baumgartner S, Thurneysen A, kalitzkus V, Maxion-Bergemann S, Matthiessen PF. HTA Homöopathie. *komplement integr Med* 2008;49:40-46.
8. Bornhöft G, Maxion-Bergemann S, Matthiessen PF. [External validity of clinical trials for treatment of dementia with ginkgo biloba extracts]. *Z Gerontol Geriatr* 2008;41(4):298-312.
9. Bussing A, Ostermann T, Majorek M, Matthiessen PF. Eurythmy Therapy in clinical studies: a systematic literature review. *BMC Complement Altern Med* 2008;8:8.
10. Bussing A, Troger W, Stumpf C, Schietzel M. Local reactions to treatments with *Viscum album* L. extracts and their association with T-lymphocyte subsets and quality of life. *Anticancer Res* 2008;28(3B):1893-1897.
11. Bussing A, Cysarz D, Edelhauser F, Bornhoft G, Matthiessen PF, Ostermann T. The oil-dispersion bath in anthroposophic medicine--an integrative review. *BMC Complement Altern Med* 2008;8:61.
12. Cysarz D. [In Process Citation]. *Forsch Komplementmed* 2008;15(3):168-169.
13. Cysarz D, von BD, Brachmann P, Buetler S, Edelhauser F, Laederach-Hofmann K, Heusser P. Day-to-night time differences in the relationship between cardiorespiratory coordination and heart rate variability. *Physiol Meas* 2008;29(11):1281-1291.
14. Cysarz D, Zerm R, Bettermann H, Frühwirth M, Moser M et al. Agreement of respiratory rates derived from heart rate variations, ecg amplitude and nasal/oral airflow. In: Proceedings of the European Study Group on Cardiac Oscillations, ESGCO. Parma: 2008; S. 1-4.
15. Elluru SR, Van Huyen JP, Delignat S, Kazatchkine MD, Friboulet A, Kaveri SV, Bayry J. Induction of maturation and activation of human dendritic cells: a mechanism underlying the beneficial effect of *Viscum album* as complimentary therapy in cancer. *BMC Cancer* 2008;8:161.
16. Esch BM, Marian F, Busato A, Heusser P. Patient satisfaction with primary care: an observational study comparing anthroposophic and conventional care. *Health Qual Life Outcomes* 2008;6:74.
17. Gijsberts MJ, van der Steen JT, Muller MT, Deliens L. [End-of-life with dementia in Dutch antroposofic and traditional nursing homes]. *Tijdschr Gerontol Geriatr* 2008;39(6):256-264.

18. Grah C. Efficacy and safety of pulmonary sarcoidosis treatment with VISCUM ALBUM L.: A case control analysis (Abstract). *Phytomedicine* 2008;14(VII):27.
19. Grossarth-Maticek R, Ziegler R. Randomized and non-randomized prospective controlled cohort studies in matched pair design for the long-term therapy of corpus uteri cancer patients with a mistletoe preparation (Iscador). *Eur J Med Res* 2008;13:107-120.
20. Hachtel B, Gäch A. Bibliographie Heileurythmie. Veröffentlichungen 1920 – 2005. Bad Boll: natur mensch medizin; 2008. 610 S.
21. Hamre HJ, Glockmann A, Kienle GS, Kiene H. Combined bias suppression in single-arm therapy studies. *J Eval Clin Pract* 2008;DOI:10.1111/j.1365-2753.2007.00903.x.
22. Hamre HJ. Heileurythmie bei chronischen Erkrankungen: eine vierjährige prospektive Kohortenstudie. Überarbeitete Fassung eines Vortrags gehalten am 5. Mai 2008. In: Glöckler M, Jaschke A, Hrsg. *Festschrift 1. Weltkonferenz für Heileurythmie*. Dornach: Medizinische Sektion am Goetheanum und Forum Netzwerk Heileurythmie; 2008; S. 130-42.
23. Hamre HJ. Eurythmy therapy in chronic disease: a four-year prospective cohort study. Revised manuscript of a lecture given on May 5, 2008. In: Glöckler M, Jaschke A, Hrsg. *Documentation of the 1st World Conference for Eurythmy Therapy*. Dornach: Medizinische Sektion am Goetheanum and Forum / Network Heileurythmie; 2008; S. 130-42.
24. Hamre HJ, Witt CM, Glockmann A, Wegscheider K, Ziegler R, Willich SN, Kiene H. Anthroposophische vs. konventionelle Therapie beim chronischen Lendenwirbelsäulen-Syndrom: eine prospektiv vergleichende Studie. *Merkurstab* 2008;61(5):435-444.
25. Hamre HJ, Witt CM, Glockmann A, Ziegler R, Willich SN, Kiene H. Heileurythmie bei chronischen Erkrankungen: eine vierjährige prospektive Kohortenstudie. *Merkurstab* 2008;61(4):331-342.
26. Hamre HJ, Glockmann A, Tröger W, Kienle GS, Kiene H. Assessing the order of magnitude of outcomes in single-arm cohorts through systematic comparison with corresponding cohorts: an example from the AMOS study. *BMC Med Res Methodol* 2008;8(11):DOI:10.1186/1471-2288-8-11.
27. Hamre HJ, Witt CM, Glockmann A, Ziegler R, Kienle GS, Willich SN, Kiene H. Outcome of anthroposophic medication therapy in chronic disease: A 12-month prospective cohort study. *Drug Design, Development and Therapy* 2008;2:25-37.
28. Horneber MA, Bueschel G, Huber R, Linde K, Rostock M. Mistletoe therapy in oncology (review). *The Cochrane Collaboration* 2008;1-69.
29. Huyke C, Reuter J, Rödig M, Kersten A, Laszczyk M, Scheffler A, Nashan D, Schempp C. Treatment of actinic keratoses with a novel betulinbased oleogel. A prospective, randomized, comparative pilot study. *J Dtsch Dermatol Ges* 2008;DOI: 10.1111/j.1610-0387.2008.06865.x.
30. Huyke C, Reuter J, Rödig M, Kersten A, Laszczyk M, Scheffler A, Nashan D, Schempp C. Therapie von aktinischen Keratosen mit einem neuen Betulin-basierten Oleogel; eine prospektive, randomisierte, vergleichende Pilotstudie. *J Dtsch Dermatol Ges* 2008;DOI: 10.1111/j.1610-0387.2008.06865.x.

31. Karow JH, Abt HP, Fröhling M, Ackermann H. Efficacy of Arnica montana D4 for Healing of Wounds After Hallux Valgus Surgery Compared to Diclofenac. *The Journal of Alternative and Complementary Medicine* 2008;14(1):17-25.
32. Kienle GS. Evidenzbasierte Medizin und ärztliche Therapiefreiheit - Vom Durchschnitt zum Individuum. *Dtsch Arztebl* 2008;105(25):A 1381-A 1384.
33. Kröz M, Zerm R, Reif M, Laue Hv, Schad F, Büsing A, Bartsch C, Feder G, Girke M. Validation of the German Version of the Cancer Fatigue Scale (CFS-D). *European Journal of Cancer Care* 2008;17(1):33-41.
34. Kröz M, Feder G, Laue Hv, Zerm R, Reif M, Girke M, Matthes H, Gutenbrunner C, Heckmann C. Validation of a questionnaire measuring the regulation of autonomic function. *BMC Complement Altern Med* 2008;8(26)
35. Kunz C. Wirtsbäume der Mistel - Die Grundpolarität. *Merkurstab* 2008;6(2):123-128.
36. Laengler A, Spix C, Seifert G, Gottschling S, Graf N, Kaatsch P. Complementary and alternative treatment methods in children with cancer: A population-based retrospective survey on the prevalence of use in Germany. *Eur J Cancer* 2008;44(15):2233-2240.
37. Laue Hv. Die Entwicklung des pharmazeutischen Impulses bei Rudolf Steiner. Menschenkundliche Voraussetzungen einer anthroposophischen Pharmakokinetik. *Merkurstab* 2008;(1):4-47.
38. Legnani W. Mistletoe in conventional oncological practice: exemplary cases. *Integr Cancer Ther* 2008;7(3):162-171.
39. Loewe A, Kuehn JJ, Borho K, Abel U, Bauer C, Gerhard I, Schneeweiss A, Sohn C, Strowitzki TW, Hagens C. Adjuvante simultane Mistel-/Chemotherapie bei Mammakarzinom - Einfluss auf Immunparameter, Lebensqualität und Verträglichkeit. *Forsch Komplementärmed* 2008;15(1):22-30.
40. Lorenz P, Berger M, Bertrams J, Wende K, Wenzel K, Lindequist U, Meyer U, Stintzing FC. Natural wax constituents of a supercritical fluid CO<sub>2</sub> extract from quince (*Cydonia oblonga* Mill.) pomace. *anal bioanal chem* 2008;391:633-646.
41. Schnitzler P, Nolkemper S, Stintzing FC, Reichling J. Comparative in vitro study on the anti-herpetic effect of phytochemically characterized aqueous and ethanolic extracts of *Salvia officinalis* grown at two different locations. *Phytomedicine* 2008;15:62-70.
42. von DC. [The twelve nursing balms]. *Krankenpfl Soins Infirm* 2008;101(3):25-27.
43. Vrânceanu M, Winkler K, Nirschl H, Lenewelt G. Surface rheology of monolayers of phospholipids and cholesterol measured with axisymmetric drop shape analysis. *Biophysical Journal* 2008;94:3924-3934.
44. Walach H, Möllinger H, Sherr J, Schneider R. Homeopathic pathogenetic trials produce more specific than non-specific symptoms: results from two double-blind placebo controlled trials. *Journal of Psychopharmacology* 2008;22(5):543-552.
45. Ziegler R, Grossarth-Maticek R. Individual Patient Data Meta-analysis of Survival and Psychosomatic Self-regulation from Published Prospective Controlled Cohort Studies for Long-term Therapy of Breast Cancer Patients with a Mistletoe Preparation (Iscador). *Evid Based Complement Alternat Med* 2008.

46. Zuzak TJ, Zuzak-Siegrist I, Rist L, Staubli G, Simoes-Wust AP. Attitudes towards vaccination: users of complementary and alternative medicine versus non-users. Swiss Med Wkly 2008;138(47-48):713-718.
47. Zuzak TJ, Zuzak-Siegrist I, Simoes-Wuest AP, Rist L, Staubli G. Use of Complementary and Alternative Medicine by Patients presenting to a Paediatric Emergency Department. European Journal of Pediatrics 2008;DOI 10.1007/s00431-008-0765-3

## 2007

1. Adriaansen-Tennekes R. Health Aspects. Relation between (organic) food intake and immunological parameters. In: van de Vijver LPL, Hrsg. Proceedings seminar, Measuring food quality: concepts, methods and challenges. Seminar 12-14 February 2007. Driebergen: Louis Bolk Institute; 2007; S. 19-20.
2. Andriashvili L, Karseladze R, Ulrich B. [Anthroposophic aspects of bronchial asthma treatment in childhood]. Georgian Med News 2007;(144):43-48.
3. Long term sustainability of quality of life in patients with advanced cancer. An explorative study for 12 months after palliative treatment in an anthroposophic hospital. Supportive Care in Cancer 2007;15(16):683-684.
4. Mistletoe in tumour therapy. Abstracts of the 4th Mistletoe Symposium, 8-10 November 2007, Nonnweiler-Otzenhausen, Germany. Phytomedicine 2007;14 Suppl 7:1-54.
5. Arman M, Backman M. A longitudinal study on women's experiences of life with breast cancer in anthroposophical (complementary) and conventional care. Eur J Cancer Care (Engl ) 2007;16(5):444-450.
6. Ausfeld-Hafter B, Baumgartner S, Fischer L, Heusser P, Kohler B et al. Kollegiale Instanz für Komplementärmedizin KIKOM: 10 Jahre Forschung, Lehre, Dienstleistung 1995-2005. In: Albrecht H, Frühwald M, Hrsg. Jahrbuch Band 13 (2006) Karl und Veronica Carstens-Stiftung. Essen: KVC Verlag; 2007; S. 119-68.
7. Baars E, Hassink J, Elings M. Monitoring patient progress at healthcare farm 'The Hoge Born: preliminary results from the first phase. In: Braastad BO, Hauge H, Hrsg. Book of abstracts of the COST Action 866 conference 'Green care in agriculture: health effects, economics and policies. 2007; S. 32
8. Baars E, Baars T. Towards a philosophical underpinning of the holistic concept of integrity of organisms within organic agriculture. NJAS 2007;54(4):463-477.
9. Bar-Sela G, Atid L, Danos S, Gabay N, Epelbaum R. Art therapy improved depression and influenced fatigue levels in cancer patients on chemotherapy. Psychooncology 2007;16(11):980-984.
10. Baumgartner S, Flückiger H, Heertsch A, Jaggy C, Schaller G, Scherr C, Urech K. Dynamisation of mistletoe (VISCUM ALBUM L.) by means of an anthroposophical pharmaceutical process (Abstract). Forsch Komplementärmed 2007;14(Suppl. 1):7.
11. Baumgartner-Durrer T, Baumgartner S, Heusser P. Eurythmische Bildekraftfelder: ätherisch-energetische Wirkungen auf Lebewesen. Auftakt 2007;Sonderdruck:1-12.
12. Beuth J, Schierholz JM. Evidence-based complementary oncology. Innovative approaches to optimize standard therapy strategies. In Vivo 2007;21:423-428.

13. Beuth J, Borchard U, Fintelmann V, Matthes H, Gerber WD, Giebel W, Schulz J, Uhlenbruck G. Die Misteltherapie an der Schnittstelle zur konventionellen Therapie. *Praxis Magazin* 2007;(12):13-15.
14. Beuth J, Schierholz J, Schneider B. Safety and efficacy of treatment of breast cancer patients with standardized mistletoe extract: A controlled multicenter comparative cohort study. *Phytomedicine* 2007;14(VII):39-39.
15. Bloksma J. Quality in fruit and vegetables. In: van de Vijver LPL, Hrsg. Proceedings seminar, Measuring food quality: concepts, methods and challenges. Seminar 12-14 February 2007. Driebergen: Louis Bolk Institute; 2007; S. 17
16. Bock PR, Hanisch J, Friedel WE, Matthes H. Treatment with a fermented mistletoe (*VISCUM ALBUM L.*) extract as part of long-term supportive care in patients with primary non-metastatic colorectal carcinoma (Abstract). *Phytomedicine* 2007;14(VII):43-43.
17. Bunjes V, Winkler K, Pechka-Süss R, Schubert R. Specific targeting of liposomes functionalized with mistletoe lectin I (Abstract). *Phytomedicine* 2007;14(VII):20-20.
18. Burkhardt J, Wälchli C, Heusser P, Andres AC, Baumgartner S. The potential of a mistletoe extract to alleviate adverse effects of cancer chemotherapy: An in-vitro study (Abstract). *Forsch Komplementärmed* 2007;14(Suppl 1):7-8.
19. Bussing A, Kochskamper H, Rieger S, Schierholz JM, Schlodder D, Schietzel M. In vitro response of stimulated B-CLL lymphocytes of patients treated with *Viscum album L.* extracts. *Anticancer Res* 2007;27(6B):4195-4200.
20. Büsing A, Ostermann T, Glöckler M, Matthiessen PF. Spiritualität, Krankheit und Heilung - Bedeutung und Ausdrucksformen der Spiritualität in der Medizin. Frankfurt: VAS-Verlag; 2007. 245 S.
21. Büsing A, Abu-Hassan WM, Matthiessen PF, Ostermann T. Spirituality, Religiosity and Dealing with Illness in Arabic and German Patients. *Saudi Med J* 2007;28(6):22-31.
22. Büsing A, Ostermann T, Koenig HG. Relevance of Religion and spirituality in German patients with chronic diseases. *Int J Psychiatry Med* 2007;37:39-57.
23. Büsing A, Ostermann T, Jacobi F, Matthiessen PF. Untersuchungen zur Erkrankungsprävalenz und zum Gesundheitsempfinden ehemaliger Waldorfschüler. In: Barz H, Randoll D, Hrsg. Absolventen von Waldorfschulen. Eine empirische Studie zu Bildung und Lebensgestaltung. 2. Auflage Aufl. VS Verlag für Sozialwissenschaften; 2007; S. 161-74.
24. Büsing A, Tröger W, Stumpf C, Schietzel M. Course of mitogen stimulated Tlymphocytes in cancer patients treated with *Viscum album* extracts. *Anticancer Res* 2007;27:2903-2910.
25. Büsing A, Matthiessen PF, Ostermann T. Adaptive coping and spirituality as a resource in cancer patients. *Breast Care* 2007;2:195-202.
26. Büsing A, Kochskämper H, Rieger S, Schierholz JM, Schlodder D. Decrease of in vitro susceptibility of B-CLL cells of patients treated with *Viscum album* extract towards the applied extract. *Phytomedicine* 2007;14(VII):51.

27. Büsing A, Tröger W. Viscum album extract application and the correlation between quality of life and lymphocyte subpopulations in tumour patients. *Phytomedicine* 2007;14(VII):37-38.
28. Büsing A, Stumpf C, Tröger W, Schietzel M. Functional competence of T lymphocytes in cancer patients treated with Viscum album extracts. *Forsch Komplementärmed* 2007;14(Suppl. 1):29.
29. Clausing S, Eggenschwiler J, Von Balthasar L, Ramos M, Viviani A. Long-term low concentrations of mistletoe extracts (VISCUM ALBUM) Iscador enhance the responsiveness of breast cancer cell lines (Abstract). *Forsch Komplementärmed* 2007;14(1):29.
30. Doesburg P. Holistic (picture forming) methods for measuring quality? In: van de Vijver LPL, Hrsg. Proceedings seminar, Measuring food quality: concepts, methods and challenges. Seminar 12-14 February 2007. Driebergen: Louis Bolk Institute; 2007; S. 13
31. Eggenschwiler J, Von Balthasar L, Stritt B, Pruntsch D, Ramos M, Urech K, Rist L, Simoes-Wuest AP, Viviani A. Mistletoe lectin is not the only cytotoxic component in fermented preparations of VISCUM ALBUM from white fir (ABIES PECTINATA). *BMC Complement Altern Med* 2007;7(14):1-20.
32. Eisenbraun J, Huber R, Kröz M, Schad F, Scheer R. Quality of life in breast cancer patients during chemotherapy and concurrent therapy with a mistletoe-extract of the apple tree (Abstract). *Phytomedicine* 2007;14(VII):35.
33. Elluru S, Van Huyen JP, Wootla B, Delignat S, Prost F, Negi VS, Kaveri SV. Tumor regressive effects of Viscum album preparations. Exploration of immunomodulatory mechanisms. *Medicina (Buenos Aires)* 2007;67(Suppl. II):85-89.
34. Friedel E, Matthes H, Bock PR. Experience with the standardized fermented mistletoe extract (VISCUM ALBUM L.) Iscador as a part of long-term supportive care in patients with primary non-metastatic colorectal carcinoma. P-013: Abstact of the 20th Int. Anniversary Symp. Supportive Care in Cancer, St. Gallen, Switzerland June 27-30. *Support Care Cancer* 2007;15:684.
35. Friedel E, Matthes H, Bock PR. Mistletoe in Supportive care in patients with primary non-metastatic colorectal carcinoma (abstract). ESMO Conference Lugano (ECLU) 5-8 July 2007, Lugano, Switzerland. *Ann Oncol* 2007;18(suppl. 9):ix171-ix171.
36. Friedel E, Matthes H, Bock P. Treatment with standardized mistletoe extract (Viscum album L.) Iscador as part of long-term supportive care in patients with primary non-metastatic colorectal carcinoma. *Z Gastroenterol* 2007;45:DOI: 10.1055/s-2007-988193.
37. Giarelli G, di Sarasina R, Silvestrini B, (eds.). Le medicine non convenzionali in Italia [Non Conventional Medicine in Italy]. Giarelli G, Roberti di Sarasina P und Silvestrini B, Hrsg. Milan: FrancoAngeli; 2007. 416 S.
38. Girke M. Die Patient-Arzt-Beziehung. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz* 2007;50(9):1128-1132.
39. Glenz A, Kuehn JJ, Schneeweiss A, Sohn C, Strowitzki T, Von Hagens C. Willingness for the participation in a randomized study on mistletoe treatment: Results of a survey including 191 patients from a German university women's hospital (Abstract). *Phytomedicine* 2007;14(VII):52.

40. Grah C, Matthes B, Griff S, Szymanski S, Mairinger T. Induction of apoptosis in exophytic tumour tissue and mediastinal lymph node metastases through intralesional VISCUM instillation in bronchial carcinoma (Abstract). *Phytomedicine* 2007;14(VII):28.
41. Grossarth-Maticek R, Ziegler R. Prospective controlled cohort studies on long-therapy of cervical cancer patients with a mistletoe preparation (Iscador). *Forsch Komplementärmed* 2007;14:140-147.
42. Grossarth-Maticek R, Ziegler R. Wirksamkeit und Unbedenklichkeit einer Langzeitbehandlung von Melanompatienten mit einem Mistelpräparat. *Schweiz Ztschr Ganzheitsmedizin* 2007;19(6):325-332.
43. Grossarth-Maticek R, Ziegler R. Prospective controlled cohort studies on long-term therapy of ovarian cancer patients with mistletoe (VISCUM ALBUM L.) extracts Iscador. *Arzneim - Forsch /Drug Res* 2007;57(10):665-678.
44. Grossarth-Maticek R, Ziegler R. Prospective controlled cohort studies in matched-pair design on long-term therapy of cervical, corpus uteri and ovarian cancer patients with a mistletoe preparation (Iscador) (Abstract). *Forsch Komplementärmedizin* 2007;14(1):7.
45. Gutsch J, Rieger S, Schierholz JM, Schlodder D. Observation study on treatment with standardized VISCUM ALBUM extracts (VA-E) in lymphocytic non-Hodgkin lymphoma (CLL): Safety and course (Abstract). *Phytomedicine* 2007;14(VII):26.
46. Hagens C, Staudt A, Glenz A, Reinhard B, Loewe A, Lewicka S, Giese T, Stammer H, Kuehn JJ, Abel U, et al. Treatment with mistletoe extract in patients with breast cancer, a feasibility study to identify surrogate parameters for further studies - design and first results: Recruitment, compatibility and safety (Abstract). *Phytomedicine* 2007;14(VII):32.
47. Hamre HJ, Witt CM, Glockmann A, Ziegler R, Willich SN, Kiene H. Anthroposophic medical therapy in chronic disease: a four-year prospective cohort study. *BMC Complement Altern Med* 2007;7(10):DOI 10.1186/1472-6882-7-10.
48. Hamre HJ, Witt CM, Glockmann A, Ziegler R, Willich SN, Kiene H. Eurythmy therapy in chronic disease: a four-year prospective cohort study. *BMC Public Health* 2007;7(61):DOI 10.1186/1471-2458-7-61.
49. Hamre H, Witt CM, Glockmann A, Ziegler R, Willich SN, Kiene H. Krankheitskosten unter anthroposophischer Therapie: Ergebnisse einer zweijährigen propektiven Kohortenstudie. *Merkurstab* 2007;60(2):138-147.
50. Hamre HJ, Witt CM, Glockmann A, Ziegler R, Willich SN, Kiene H. Anthroposophische Therapie bei chronischer Depression: eine vierjährige prospektive Kohortenstudie. *Merkurstab* 2007;60(3):208-220.
51. Hamre HJ, Witt CM, Glockmann A, Ziegler R, Willich SN, Kiene H. Anthroposophic art therapy in chronic disease: a four-year prospective cohort study. *Explore* 2007;3(4):365-371.
52. Hamre HJ, Witt CM, Glockmann A, Ziegler R, Willich SN, Kiene H. Rhythical massage therapy in chronic disease: a four-year prospective cohort study. *J Altern Complement Med* 2007;13(6):635-642.

53. Hamre H, Witt CM, Glockmann A, Ziegler R, Willich SN, Kiene H. Anthroposophic vs. conventional therapy for chronic low back pain: a prospective comparative study. *Eur J Med Res* 2007;12:302-310.
54. Hamre HJ, Witt CM, Glockmann A, Tröger W, Willich SN, Kiene H. Anwendung und Sicherheit anthroposophischer Arzneimittel: eine zweijährige prospektive Kohortenstudie. *Merkurstab* 2007;60(4):309-323.
55. Hamre H, Witt CM, Glockmann A, Ziegler R, Willich SN, Kiene H. Krankheitskosten unter anthroposophischer Therapie: Ergebnisse einer zweijährigen propektiven Kohortenstudie. *Merkurstab* 2007;60(2):138-147.
56. Hamre HJ, Glockmann A, Fischer M, Riley D, Baars E, Kiene H. Use and safety of anthroposophic medications for acute respiratory and ear infections: a prospective cohort study. *Drug Target Insights* 2007;2:209-219.
57. Heusser P. L'accompagnement des mourants, l'aide à la mort, l'euthanasie. Riggernbach B, Hrsg. Haupt Verlag; 2007. 189 S.
58. Heusser P, Wolf U. Holistic thinking in basic sciences and medicine - needs assessment and experimental pilot-course for medical students at the University of Berne. *Forsch Komplementärmed* 2007;14(suppl.1):50-50.
59. Heusser P, Wolf U, Bertschy M, Burkhard R, Ziegler R, Helwig S, Cerny T. Longterm sustainability of quality of life in advanced cancer. An explorative pilot study for 12-months after palliative treatment in an anthroposophic hospital. *Phytomedicine* 2007;14(SV II):34.
60. Heusser P. Anthroposophic Concepts of Pain. In: Ernst E, Pittler MH, Wider B, (Hrsg), Hrsg. Complementary Therapies for Pain Management. An Evidence-Based Approach. Mosby: Elsevier; 2007; S. 57-61.
61. Heusser P. Medizin und Macht am Beispiel des Programms Evaluation Komplementärmedizin PEK. In: Ausfeld-Hafter B, Hrsg. Medizin und Macht. Die Arzt-Patienten-Beziehung im Wandel: Mehr Entscheidungsfreiheit? Bd.11. Bern: Peter Lang; 2007; S. 101-29.
62. Heusser P. Das viergliedrige Menschenbild der anthroposopischen Medizin. UniPress, Forschung und Wissenschaft an der Universität Bern 2007;133:9-10.
63. Heusser P. Integrative Medizin - was bedeutet das? *Gesundheit Sprechstunde* 2007;11:24-27.
64. Hofer H. [Human images in nursing:--5: Human image in economics: utilitarianism as the guiding principle]. *Pflege Z* 2007;60(8):456-459.
65. Hofer H. [Human images in nursing--4: Anthroposophy: wisdom from the human]. *Pflege Z* 2007;60(7):393-396.
66. Hong S, Chang S, Yeom DH, Kang JH, Hong KJ. Differential regulation of thrombospondin-1 expression and antiangiogenesis of ECV304 cells by trichostatin A and helixor A. *Anti Cancer Drugs* 2007;18(9):1005-1014.
67. Huber M. Inner quality concept - IQC (<http://www.louisboltz.org/downloads/1887.pdf>). In: van de Vijver LPL, Hrsg. Proceedings seminar, Measuring food quality: concepts, methods

and challenges. Seminar 12-14 February 2007. Driebergen: Louis Bolk Institute; 2007; S. 11

68. Hugo F, Schwitalla S, Niggemann B, Zänker KS, Dittmar T. Viscum album extracts Iscador P and Iscador M counteract the growth factor induced effects in human Follicular B-NHL cells and breast cancer cells. *Medicina (Buenos Aires)* 2007;67(Suppl. II):90-96.
69. Hunziker-Basler N, Zuzak TJ, Eggenschwiler J, Rist L, Simões-Wüst AP, Viviani A. Prolonged catotoxic effect of aqueous extracts from dried Viscum album on bladder cancer cells. *Pharmazie* 2007;62(3):237-238.
70. Jäger S, Winkler K, Pfüller U, Scheffler A. Solubility Studies of Oleanolic Acid and Betulinic Acid in Aqueous Solutions and Plant extracts of Viscum album L. *Planta Med* 2007;73:157-162.
71. Jäger S, Beffert M, Hoppe K, Scheffler A. Aqueous mistletoe preparations with a high content of oleanolic acid and betulinic acid (Abstract). *Phytomedicine* 2007;14(VII):21.
72. Jäger S, Beffert M, Hoppe K, Scheffler A. Characterisation and quantification of polysaccharides in extracts from VISCUM ALBUM L. with CE-UV (Abstract). *Phytomedicine* 2007;14(VII):47.
73. Jeschke E, Schad F, Pisarek J, Matthes B, Albrecht U, Matthes H. QuaDoSta - ein frei konfigurierbares System zur Unterstützung multizentrischer Datenerhebungen in medizinischer Versorgung und Forschung. *GMS Med Inform Biom Epidemiol* 2007;3(2):Doc 10.
74. Jeschke E, Lueke C, Ostermann T, Tabali M, Huebner J, Matthes H. Prescribing practices in the treatment of upper respiratory tract infections in anthroposophic medicine. *Forsch Komplementärmed* 2007;14:207-215.
75. Kelter G, Fiebig H-H, Schierholz JM, Fischer IU. Methodological artifacts in the assessment for (anti-) proliferative activities of mistletoe extracts. *Pediatr Blood Cancer* 2007;49:105.
76. Kelter G, Schierholz JM, Fischer IU, Fiebig H-H. Cytotoxic activity and absence of tumor growth stimulation of standardized mistletoe extracts in human tumor models in vitro. *Anticancer Res* 2007;27:223-233.
77. Kelter G, Fischer IU, Fiebig H-H. Absence of tumor growth stimulation and cytotoxic activity of standardized mistletoe extracts in human tumor cell lines in vitro. *Phytomedicine* 2007;14(VII):23.
78. Kienle GS, Kiene H. Complementary cancer therapy: a systematic review of prospective clinical trials on anthroposophic mistletoe extract. *Eur J Med Res* 2007;12:103-119.
79. Kienle GS. Zur Verbesserung der Qualität von Einzelfallberichten und Fallserien in der onkologischen Behandlung. - Kriterien und Checkliste. In: Sinapius P, Ganß M, Hrsg. Grundlagen, Modelle und Beispiele kunsttherapeutischer Dokumentation. Frankfurt am Main: Peter Lang Verlag; 2007; S. 203-12.
80. Kienle G, Kiene H. Anthroposophic mistletoe therapy in cancer: A systematic review of prospective clinical trials (Abstract). *Forsch Komplementärmedizin* 2007;14(1):7.
81. Kienle GS, Kiene H. Systematic reviews on mistletoe in cancer - What implications for future research can be drawn? (Abstract). *Phytomedicine* 2007;14(VII):11.

82. Kirsch A. Successful treatment of metastatic malignant melanoma with VISCUM ALBUM extract (Iscador M). *J Altern Complement Med* 2007;13(4):443-445.
83. Klein R. Effects of mistletoe extracts on immunocompetent cells in vitro and in vivo (Abstract). *Phytomedicine* 2007;14(VII):6.
84. Klocke P, Clottu O, Spranger J, Burger D, Werner M, Ramos M, Straub R, Von Tscharner C, Gerber V. Safety and efficacy of mistletoe extract (VISCUM ALBUM) Iscador P in the treatment of equine sarcoid - a prospective, randomized, controlled, double-blind study (Abstract). *Forsch Komplementärmed* 2007;14(Suppl 1):30-30.
85. Kovacs E, Link S, Troffol-Schmidt U. Mistletoe (VISCUM ALBUM) extract or vincristine? A comparative study. *Forsch Komplementärmed* 2007;14(Suppl.1):30-31.
86. Kovacs E, Link S, Toffol-Schmidt U. The effect of VISCUM ALBUM extract and vincristine on the proliferation in several multiple myeloma cell lines: The function of IL-6 and IL-10 in the proliferation (Abstract). *Phytomedicine* 2007;14(VII):24.
87. Kröz M, Humbroich K, Brauer D, Zerm R, Kirchhoff M, Reif M, Laue Hv, Schad F, Nickel E, Arndt L, et al. Validation of a new scale on internal coherence (ICS) with mistletoe-sensitive questions for cancer patients. *Phytomedicine* 2007;14(SVII)
88. Kröz M, Reif M, von Laue HB, Brauer D, Kirchhof M, Zerm R, Nickel E, Riess H, Herbstreit C, Feder G, et al. Reliability, validity and mistletoe sensitivity of the German version of the cancer fatigue scale (CFS-D) (Abstract). *Phytomedicine* 2007;14(SVII):33-
89. Kröz M, Brauer D, Girke M. Zum pathologischen Verständnis und zur Behandlung des Restless legs Syndrom mit Zincum valerianicum und Calcium Quercus Inject 10. *Merkurstab* 2007;60(4):302-308.
90. Kuehn JJ. Treatment responses to Viscum album Pini (Iscador P) in non-Hodgkin's lymphoma exploring a new therapeutic route. *Medicina (Buenos Aires)* 2007;67(Suppl. 2):107-114.
91. Kuehn JJ. Efficacy and risk estimation of subcutaneous mistletoe treatment (VISCUM ALBUM L. Pini) in patients with non-Hodgkin's lymphoma (Abstract). *Phytomedicine* 2007;14(VII):25.
92. Kummeling I, Thijs C, Huber M, van de Vijver LPL, Snijders BE, Penders J, Stelma F, Van Ree R, Van der Brandt PA, Dagnelie PC. Consumption of organic foods and risk of atopic disease during the first 2 years of life in the Netherlands. *Br J Nutr* 2007;29:1-8.
93. Kummeling I, Thijs C, Stelma F, Huber M, Van der Brandt PA, Dagnelie PC. Diphtheria, pertussis, poliomyelitis, tetanus, and Haemophilus influenzae type b vaccinations and risk of eczema and recurrent wheeze in the first year of life: the KOALA Birth Cohort Study. *Pediatrics* 2007;119(2):e367-e373.
94. Kummeling I, Stelma F, Dagnelie PC, Snijders BE, Penders J, Huber M, Van Ree R, Van der Brandt PA, Thijs C. Early life exposure to antibiotics and the subsequent development of eczema, wheeze, and allergic sensitization in the first 2 years of life: the KOALA Birth Cohort Study. *Pediatrics* 2007;119(1):e225-e231.
95. Längler A, Seifert G, Tautz Ch. The use of mistletoe preparations in paediatric oncology - epidemiology and actual practice (Abstract). *Phytomedicine* 2007;14(VII):31.

96. Leneweit G, Vrânceanu M, Winkler K, Nirschl H. Surface rheology of monolayers of phospholipids and cholesterol measured with axisymmetric drop shape analysis. *Colloids and Surfaces A: Physicochem Engl Aspects* 2007;311:140-153.
97. Linke J, Kröz M, Zerm R, Brauer D, Laue Hv, Hecht K, Girke M. Cancer Fatigue und gestörte Ruhe/Aktivitätsregulation bei Mammakarzinom Patientinnen. *Med Klin* 2007;102(39).
98. Matthes H, Friedel E, Bock PR. Supportive care in pancreatic carcinoma patients of the fermented mistletoe (VISCUM ALBUM L.) extract treatment. ESMO Conference Lugano (ECLU) 5-8 July 2007, Lugano, Switzerland. *Ann Oncol* 2007;18(suppl. 9):ix199-ix199.
99. Matthes H, Buchwald D, Schad F, Jeschke E. Intratumorale Applikation von Viscum album L (Mistelgesamtextrakt; Helixor M®) in der Therapie des inoperablen Pankreaskarzinom. *Z Gastroenterol* 2007;45:DOI: 10.1055/s-2007-988162.
100. Matthes H, Friedel E, Bock PR. Supportive care in pancreatic carcinoma patients of the fermented mistletoe (VISCUM ALBUM L.) extract treatment. *Ann Oncol* 2007;18(9):136.
101. Matthes H, Friedel WE, Hanisch J, Karasmann M, Bock PR. Improvement of the palliative supportive care in pancreatic carcinoma patients with a fermented mistletoe (VISCUM ALBUM L.) extract treatment (Abstract). *Phytomedicine* 2007;14(VII):54.
102. Matthiessen PF. Der salutogenetische Ansatz. In: Bahrs O, Matthiessen PF, Hrsg. Gesundheitsfördernde Praxen, Die Chancen einer salutogenetischen Orientierung in der hausärztlichen Praxis. Bern, u.a.: Huber-Verlag; 2007; S. 27-34.
103. Matthiessen PF, Müller H. Vergleichende Untersuchung zu Lebenszyklus und Krankheit/Gesundheit. In: Bahrs O, Matthiessen PF, Hrsg. Gesundheitsfördernde Praxen. Die Chancen einer salutogenetischen Orientierung in der hausärztlichen Praxis. Bern, u.a.: Huber-Verlag; 2007; S. 240-59.
104. Melzer J. Lebensqualität und Mistelbehandlung in der Onkologie. *Phytotherapie* 2007;5:10-15.
105. Müller H, Matthiessen PF, Bahrs O, Heim S. Salutogenetische Orientierung und professionelles Handeln. In: Bahrs O, Matthiessen PF, Hrsg. Gesundheitsfördernde Praxen, Die Chancen einer salutogenetischen Orientierung in der hausärztlichen Praxis. Bern, u.a. O.: Huber-Verlag; 2007; S. 35-9.
106. Müller-Hüenthal B, Weinandy A, Kiviet C. What rank has anthroposophic mistletoe therapy in modern multi-modal oncological therapy concepts? A position assessment under clinical aspects (Abstract). *Phytomedicine* 2007;14(VII):29.
107. Nani D, Brizzi M, Lazzarato L, Betti L. The role of variability in evaluating ultra high dilution effects: considerations based on plant model experiments. *Forsch Komplementärmed* 2007;14:301-305.
108. Orange M, Lace A, Laue Hv. The importance of the primary dosis in mistletoe therapy (Abstract). *Phytomedicine* 2007;14(VII):29.
109. Ostermann T, Blaser G, Bertram M, Michalsen A, Matthiessen PF, Kraft K. Effects of Rhythmic Embrocation Therapy WIth Solum Oil in Chronic Pain Patients; A Prospective Observational Study. *Clin J Pain* 2007;24(3):237-243.

110. Piltan,D. Mittelprüfung am Beispiel von Aconitum napellus 2007; Medizinische Fakultät Zürich. Dissertation.
111. Ramaekers FCS, Harmsma M, Tusenius KJ, Schutte B, Werner M, Ramos M. Mistletoe extracts (*Viscum album L.*) Iscador interact with th cell cycle machinery and target survival mechanisms in cancer cells. *Medicina (Buenos Aires)* 2007;67(Suppl. II):79-84.
112. Ramm H. Influence of soil chemical factors on the cultivation of oak mistletoe (VISCUM ALBUM on QUERCUS ROBUR and PETRAEA) and host-specific mineral concentrations of mistletoe extracts (Abstract). *Phytomedicine* 2007;14(VII):13.
113. Righetti M, Baumgartner S, von Ammon K. Forschung und Forschungsproblematik der Homöopathie. In: Bornhöft G, Matthiessen PF, Hrsg. Homöopathie in der Krankenversorgung - Wirksamkeit, Nutzen, Sicherheit und Wirtschaftlichkeit. Frankfurt am Main: VAS; 2007; S. 24-43.
114. Rist L, Mueller A, Barthel C, Snijders BE, Jansen MC, Simoes-Wuest AP, Huber M, Kummeling I, von Mandach U, Steinhart H, et al. Influence of Organic Diet on the Amount of Conjugated Linoleic Acids in Breast Milk of Lactating Women in the Netherlands. *Br J Nutr* 2007;97:735-743.
115. Rist L, Erni P, Brenneisen R, Ramos MH, von Mandach U. Effective herbal tocolysis with Bryophyllum pinnatum. Poster am International Congress on Complementary Medicine Research. *Forsch Komplementärmed* 2007;14(S1):29-29.
116. Schad F, Teodoridis CM, Albrecht U, Hoffmann G, Teltow G, Stumpf C, Fricke L, Breitkreuz T, Baute R, Paxino C, et al. Epidemiological data from the network onkology (NO): a research association for anthroposophically orientated medicine. *Phytomedicine* 2007;14(SVII):41.
117. Schad F, Teodoridis CM, Albrecht U, Hoffmann G, Jeschke E, Stumpf C, Fricke L, Breitkreuz T, Baute R, Paxino C, et al. Das Netzwerk Onkologie (NO). Aufbau und Etablierung eines Forschungsverbundes in der anthroposophisch orientierten, onkologischen Medizin. *Merkurstab* 2007;60(3):234-237.
118. Scheer C, Simon M, Spranger J, Baumgartner S. Duckweed (*Lemna gibba L.*) as a Test Organism for Homeopathic Potencies. *The Journal of Alternative and Complementary Medicine* 2007;13(9):931-937.
119. Scheer R, Alban S, Becker H, Holzgrabe U, Kemper FH, Kreis W, Matthes H, Schlicher H, (eds.). Mistletoe in tumor therapy - basic research and clinical practice. *Phytomedicine* 2007;14(VII):1-56.
120. Scherr C, Simon M, Spranger J, Baumgartner S. Duckweed (*Lemna gibba L.*) as a Test Organism for Homeopathic Potencies. *J Altern Complement Med* 2007;13(9):931-937.
121. Schink M, Tröger W, Dabidian A, Goyert A, Scheuerecker H, Meyer J, Fischer IU, Glaser F. Mistletoe extract reduces the surgical suppression of natural killer cell activity in cancer patients. A randomized phase III trial. *Forsch Komplementärmed* 2007;17:9-17.
122. Schink M, Tröger W, Dabidian A, Goyert A, Scheuerecker H, Meyer J, Fischer IU, Glaser F. Effect of a perioperative infusion of mistletoe extract on surgery-induced immunosuppression in colorectal cancer patients (Abstract). *Phytomedicine* 2007;14(VII):40.

123. Schramm H. Karzinomerkrankung und Misteltherapie. Merkurstab 2007;60(3):229-233.
124. Seifert G, Tautz C, Seeger K, Henze G, Laengler A. Therapeutic use of mistletoe for CD30+ cutaneous lymphoproliferative disorder/lymphomatoid papulosis. J Eur Acad Dermatol Venereol 2007;21:558-560.
125. Seifert G, Längler A, Tautz C, Seeger K, Henze G. Response to subcutaneous therapy with mistletoe in recurrent multisystem Langerhans cell histiocytosis. Pediatr Blood Cancer 2007;48(5):591-592.
126. Simoes-Wuest AP, Hunziker-Basler N, Zuzak TJ, Eggenschwiler J, Rist L, Viviani A. Long-lasting cytotoxic effects of a single application of aqueous extracts from dried *Viscum album* L. on bladder cancer cells in an in vitro system. Phytomedicine 2007;(SVII):49.
127. Simoes-Wuest AP, Rist L, Mueller A, Barthel C, Snijders C, Jansen M, Huber M, Kummeling I, von Mandach U, Steinhart H, et al. An organic diet can increase the levels of conjugated linoleic acids in the breast milk of lactating women. Forsch Komplementärmed 2007;14(S1):42-42.
128. Simoes-Wuest AP, Rist L. Bryophyllum in der präklinischen und klinischen Forschung. Merkurstab 2007;5:415-420.
129. Simoes-Wuest AP, Hunziker-Basler N, Zuzak TJ, Eggenschwiler J, Rist L, Viviani A, Meyer U. Das Mistelpräparat Iscucin® Crataegi - Option für die Instillationstherapie bei Blasenkrebs. Merkurstab 2007;3:251-255.
130. Simoes-Wuest AP, Hunziker-Basler N, Zuzak J, Eggenschwiler J, Rist L, Viviani A. Prolonged cytotoxic effect of aqueous extracts from dried *VISCUM ALBUM* on bladder cancer cells (Abstract). Forsch Komplementärmed 2007;14(1):28.
131. Simon L, Prebay D, Beretz A, Bagot JL, Lobstein A, Rubinstein I, Schraub S. Complementary and alternative medicines taken by cancer patients. Bull Cancer 2007;94(5):483-488.
132. Sinapius P, Ganß M. Grundlagen, Modelle und Beispiele kunsttherapeutischer Dokumentation. Sinapius P und Ganß M, Hrsg. Wissenschaftliche Grundlagen der Kunsttherapie Band 1. Frankfurt am Main, Berlin, Bern, Bruxelles, New York, Oxford, Wien: Peter Lang Verlagsgruppe; 2007. 240 S.
133. Soldner G. Differenzierte Anwendung der Mistel nach Wirtsbäumen. Erfahrungsheilkunde 2007;56(3):171-174.
134. Strüh CM, Jäger S, Schempp CM, Scheffler A, Martin SF. Inhibitory effects of solubilized triterpene acids from *VISCUM ALBUM* L. on murine and human skin cell lines (Abstract). Phytomedicine 2007;14(VII):22-
135. Stumpf C, Rieger S, Fischer IU, Schietzel M. Retrospektive Untersuchung zur Therapie mit Mistelextrakten bei Patienten mit kolorektalem Karzinom. Dtsch Zschr Onkol 2007;39(1):12-22.
136. Tröger W. Additional therapy with mistletoe extracts in breast cancer patients receiving chemotherapy. A prospective randomized open label pilot study (Abstract). Phytomedicine 2007;14(VII):36.

137. Urech K, Jäggy C, Schaller G. Spatial and seasonal variations of viscotoxins and mistletoe lectins in mistletoe (*VISCUM ALBUM* ssp. *ALBUM*) and their consideration in anthroposophical pharmacy (Abstract). *Forsch Komplementärmed* 2007;14(Suppl. 1):30.
138. Urech K, Jäggy C, Schaller G. Viscotoxin and mistletoe lectin contents in *VISCUM ALBUM* L. - pharmaceutical implications (Abstract). *Phytomedicine* 2007;14(SVII):16.
139. van de Vijver LPL. Food Quality and Health - is organic better? In: van de Vijver LPL, Hrsg. Proceedings seminar, Measuring food quality: concepts, methods and challenges. Seminar 12-14 February 2007. Driebergen: Louis Bolk Institute; 2007; S. 10
140. Viviani A, Rist L. Differenzierte Wirkung von Mistelextrakten auf Krebszellen. *Phytomedicine* 2007;5:1-13.
141. von Bonin D, Müller M. Competencies in arts therapies: A rating of importance, training and performance by practitioners and referring professionals in Switzerland. *The Arts in Psychotherapy* 2007;34:11.
142. Wagschal I, Eggenschwiler J, Von Balthasar L, Patrignani A, Rehrauer H, Schlapbach R, Ramos MH, Viviani A. Gene expression signatures of pathway alterations in tumor cells caused by plant extracts. *Medicina (Buenos Aires)* 2007;67(Suppl. 2):97-106.
143. Welles SU, Endler PC, Scherer-Pongratz W, Suanjak-Traidl E, Weber S, Spranger H, Frass M, Lothaller H. Pretreatment with Thyroxin 10–8 and the Effect of Homeopathically Prepared Thyroxin 10–30 on Highland Frogs – a Multi-Researcher Study. *Forsch Komplementärmed* 2007;14:353-357.
144. Wellhausen F, Mocka S, Meyer U. Anwendungsbeobachtung WALA Gelsemium comp., Globuli velati. *Merkurstab* 2007;60(2):158-160.
145. Wilkens J. Die Weidenmistel beim Blasenkarzinom. *Merkurstab* 2007;60(5):446-449.
146. Winkler K, Jäger S, Lenewelt G, Schubert R. Interactions of viscotoxins with vesicles of genuine membranes of mistletoe. *Phytomedicine* 2007;14(Interactions of viscotoxins with vesicles of genuine membranes of mistletoe):48.
147. Witt C, Bluth M, Albrecht H, WEisshuhn TE, Baumgartner S, Willich SN. The in vitro evidence for an effect of high homeopathic potencies-A systematic review of the literature. *Complement Ther Med* 2007;15:128-138.
148. Wolf U, Wolf M, Heusser P, Thurneysen A, Baumgartner S. Transmission of ultraviolet light in potenized substances and controls. *Forsch Komplementärmed* 2007;14(suppl. 1):41.
149. Wyss E, Tamm L, Amsler T, Günther K, Baumgartner S. Potenzial der Homöopathie für den Pflanzenschutz. In: Albrecht H, Frühwald M, Hrsg. Jahrbuch Band 13 (2006) Karl und Veronica Carstens-Stiftung. Essen: KVC Verlag; 2007; S. 51-81.
150. Zänker KS. Summary and conclusion. Excellence of cancer research in Buenos Aires. *Medicina (Buenos Aires)* 2007;67(Suppl. 2):115-119.
151. Zerm R, Kröz M, Cysarz D, Frühwirth M, Moser M et al. Cardiovascular Risk in Diabetic Patients Determined by a Newly Developed Questionnaire on Autonomic Regulation (aR). In: Lewis B, Halpon D, Flugelmann M, Hrsg. 7th International Congress on Coronary Artery Disease - ICCAD . Venice: 2007.

152. Ziegler R, Grossarth-Maticek R. Individual patient data meta-analysis of prospective controlled cohort studies on long-term therapy of breast cancer patients with a mistletoe preparation (Iscador) (Abstract). *Forsch Komplementärmed* 2007;14(Suppl. 1):28.
153. Ziegler R. Mistletoe Preparation Iscador: Are there Methodological Concerns with Respect to Controlled Clinical Trials? *Evid Based Complement Alternat Med* 2007;(doi:10.1093/ecam/nem121):1-12.
154. Ziegler R, Grossarth-Maticek R. Randomized and non-randomized controlled cohort studies for the prevention of cancer with a mistletoe extract for myomas, endometrioses and cervix dysplasia (Abstract). *Phytomedicine* 2007;14(VII):44.